

Welcome to Today's Webinar!

Evaluating the Reliability of Surveys and Assessments

This event will start at 11:00 am EDT.



Welcome to Today's Webinar



Audio Information Dial: 800-779-3152

Conference ID: 1935128

If you have technical difficulties logging into the web-based portion of the event, please contact Live Meeting Customer Support at 1 (866) 493-2825.


If you have any questions about the Live Meeting technology or the Webinar, please contact SSSTA at sssta@air.org.



Questions, Event Evaluation & Contact Information



Q&A



If you have a question for the presenters, please type it in the Q & A Pane or email sssta@air.org during the Webinar.

Evaluation

Safe and Supportive Schools Engagement Safety Environment						
Participant Feedback						
Establishing Supportive Relationships between Teachers, Staff, Students and Families Wednesday, February 17, 2011 Please provide us with your feedback on today's Webinar by answering the questions below. The form should only take a few minutes to complete and all responses will be completely anonymous. Your participation is voluntary.						
≭ 1. My role can best be described as (please check as many as apply):						
Community Member	School/District Teachers					
Family Member	Administrator					
School Support Staff	State Administrator					

An event evaluation will appear as the last slide in the presentation. Please input your answers *directly* into the slide. All answers are *completely anonymous* and are not visible to other participants.

For assistance during the Webinar, please contact the Safe and Supportive Schools Technical Assistance Center at sssta@air.org.



The Safe and Supportive Schools Technical Assistance Center



- Funded by the U.S. Department of Education's Office of Safe and Healthy Students.
- Provides training and support to states, including 11 grantees funded under the Safe and Supportive Schools Program and other state administrators; administrators of districts and schools; teachers; support staff at schools; communities and families; and students.
- Goal is to improve schools' conditions for learning through measurement and program implementation, so that all students have the opportunity to realize academic success in safe and supportive environments.

^{*}The content of this presentation was prepared under a contract from the U.S. Department of Education, Office of Safe and Healthy Students to the American Institutes for Research (AIR). This presentation does not necessarily represent the policy or views of the U.S. Department of Education, nor do they imply endorsement by the U.S. Department of Education.

Safe and Supportive Schools Website



http://safesupportiveschools.ed.gov





Polling Question #1



Which of the following best describes your current role?

- State Education Personnel
- District or School Administrator
- ☐ Teacher or School Support Staff
- Community or Family Representative
- ☐ Student
- ☐ Researcher
- Other



Polling Question #2



Which of the following best describes the primary reason you chose to participate in today's session?

☐ Learn what is measurement reliability and why it is
important
Learn more about generally how to evaluate my
data to determine if it is reliable
☐ Learn about more advanced methods to conduct a
reliability assessment
Learn ways to improve reliability
☐ More than one of the above





Evaluating the Reliability of Surveys and Other Assessments

Dr. Lorin Mueller, American Institutes for Research Washington, DC



Session Overview



- 1 Purpose and definitions/key concepts
- 2 Statistical methods for assessing reliability
- 3 Common problems and how to resolve them



Notes Before We Begin



This is not a tutorial.

- The goal is to expand your thinking about measuring reliability in school climate surveys and other assessments.
- There is plenty of practical guidance for these methods on the internet.

What do I mean by other assessments?

- When measuring school climate, you might want to relate it to other things: teacher evaluations, achievement levels, demographic characteristics.
- Examples: Do boys rate climate differently than girls? Do certain teachers within the school foster a more supportive environment than others? Does that correlate to teacher evaluations?
- Establishing reliability on these other measures is just as important as on the climate measures themselves.



Purpose of Reliability



Why do we want to demonstrate reliability in surveys?

- Better understand the thing we want to measure; sometimes facets don't correlate the way we expect them to.
 - *Facets pieces of an instrument, like observations on different occasions or survey items

Common Problems &

- 2. To make better decisions based on the data we obtain.
- 3. Show that our results aren't erroneous/spurious.
- 4. Identify and correct/remove erroneous data.

Definition & Key Concepts



- Scale: An item or set of items designed to measure something (a construct)
- Item: A single question on a scale
- Item/scale types
 - **Continuous/ratio**: true "zero" point, equally spaced units, measures can fall between units, e.g., height or normalized achievement test scores
 - Interval (rating): equally spaced units, whole units only, e.g., "Likert-type" agreement,
 Olympic ratings

Common Problems &

- Categorical (dichotomous/polytomous, ordinal, nominal): mutually exclusive categorical units, e.g., gender, ethnicity, grade level, symptoms/behavior checklist
- *In most cases, we treat continuous & interval the same.

Scale Types: More Examples



Continuous/ratio

- Average standardized test score
- Difference from the average classroom score on 10 school climate items (can be positive or negative)

Interval

Agreement scales – "My teacher sets high expectations for achievement." 1 = Strongly disagree, 3 = Neither agree nor disagree, 5 = Strongly agree

Common Problems &

How to Resolve

Categorical

- Education level of teacher; Achievement level of student (ordinal)
- Gender/ethnicity of student (nominal)

Polling Question #3




Which of the following best describes your experience in conducting reliability assessments with survey items?

☐ We have not had much experience conducting
analyses to determine reliability of survey items.
☐ We have experience generating alphas but nothing
more advanced.
☐ We have experience conducting more advanced
analyses such as factor analyses or HLM.
☐ We have experience with a range of analysis
methods but want to learn more about improving the
reliability of our perception-based survey items.



Interval Scale: My Favorite Example





- Above are examples of the "faces scale." The faces represent different levels of satisfaction (left) or pain (right).
- This is an ordinal scale, but we usually treat it like it's interval.
- We know the difference between 0-2 is not the same as the difference between 8-10. That lowers reliability, but not by much, and it makes the scale much easier to use.

Common Problems &

What is Reliability?



Reliability

- Reproducibility of the scores over occasions, items, raters
- Internal consistency, interrater agreement, test-retest/multiple occasions
- E.g., the extent to which students within a classroom rate climate the same no matter which student is asked, what day you ask them, or which questions you ask

Reliability is a necessary condition for validity

Validity

- The extent to which the measure supports the intended inferences
- Evidence: content, criterion-related, "construct"
- E.g., Does a positive school climate correlate to important outcomes? Does changing school climate improve those outcomes? Does this measure of school climate correlate to other measures? Broader: Is school climate real?

Common Problems &

Reliability Doesn't Confer Validity



- Reliability is necessary for validity, but...
 - Not all reliable measures are valid & sometimes you may not be able to demonstrate reliability.

For example:

- What if students all rate climate as poor because the teacher is demanding? Or positive because the teacher gives high marks?
- What if students respond to the questionnaire with answers they think the teacher or school wants them to give?
- What if school climate doesn't correlate to anything?
- For validity, you need to collect evidence against these criticisms (other than reliability evidence).

Common Problems &

Three Facets of Reliability



Across items / internal consistency

- Answers the question "How much would scores change if I had selected a different set of items?"
- Important to have good coverage of the concept.

Across raters / interrater agreement

- Answers the question "How much would scores change if there were different students in the classroom?" (or different observers)
- Important to establish common experience.

Across occasions / stability

- Answers the question "How much would scores change if I measured the person at a different time?"

Methods for

Assessing Reliability

- Important that responses are stable from day to day.

Assessing Reliability



- The most common method is coefficient alpha, a.k.a. "Cronbach's alpha".
- For situations where respondents are rating the same target, use interrater agreement.
 - E.g., Students/parents in a classroom rate their teacher or school
- When you are concerned that data might change, use a stability measure –
 correlation of measurements over time.
- If data are not continuous/interval, you will be limited in your approaches.
 - Contingency tables for multiple variables / occasions; patterns (e.g. pairs of yes/no questions)

Common Problems

& How to Resolve

Agreement indices for multiple raters

Assessing Reliability Matrix



Measurement Facets						
Data Type	Items	Occasions	Raters			
Continuous / Interval	Coefficient alpha, factor analysis	Correlation over time, Generalizability	Intra-class correlation (ICC)			
Categorical	Cross- classification / contingency tables	Cross- classification / contingency tables	% agreement, Cohen's kappa			
Mixed	Pattern analysis					


Methods for Assessing Reliability

Questions?





If you have a question for the presenter, please type it in the Q & A Pane or email sssta@air.org.





Coefficient Alpha



- Internal consistency estimate
- Appropriate for continuous and interval data
- Available in most standard statistical packages
- Established ranges
 - .70 ok for research, e.g., correlating climate to classroom achievement
 - .80 for diagnostic purposes, e.g., giving a teacher ways to improve classroom climate
 - .90 for high stakes decisions, e.g., negative sanctions for poor climate scores



Limitations of Coefficient Alpha



- Can be high with lots of items
- Can overestimate reliability for temporal constructs (e.g., mood) and underestimate reliability for diverse constructs
 - Important to link the time element to what you're trying to investigate.
 - If you want to know how mood on a given day influences perceptions of climate, alpha is OK.
 - If you want to know how mood influences achievement over the year, a one-day measurement will not suffice, nor will alpha.
- Overused with categorical data
- Often incorrectly interpreted as validity evidence

Common Problems

Coefficient Alpha - Formula



$$\alpha = \frac{K}{K - 1} \left(1 - \frac{\sum_{i=1}^{K} \sigma_{Y_i}^2}{\sigma_{\chi}^2} \right)$$

- K = number of items; σ Yi2 is the variance attributable to an item Yi ; σ X2 is the total variance.
- Thus, as the variance due to items goes up, alpha goes down.
- It assumes variance not attributable to items is attributable to persons.

Exploratory Factor Analysis (EFA)



Seeing a lot of this in reliability studies now that EFA software is built in to standard statistical packages, guidance on the internet

BUT:

- In most cases, you probably have a pretty good conceptual model that supports confirmatory factor analysis (CFA) – slightly different research question
- Can get spurious results with small sample sizes, unhelpful results regardless
- Reliability of EFA no better than rational scoring (e.g., a priori scales)
- Especially bad with climate measures, since you can't usually model the sources of variation at each level: student, classroom, school
- For school climate measures, multi-level CFA is better: makes you specify how things *should* relate in advance, then tells you if you're wrong


Common Problems

Questions?





If you have a question for the presenter, please type it in the Q & A Pane or email sssta@air.org.





Generalizability Theory



- Extension of alpha method to account for multiple sources of variance
 - Items, occasions of measurement, raters/judges
 - Each of these are "facets" of measurement and can have their own variance associated with them
 - Can estimate reliability in more complex designs or design data collection to meet reliability goals (D studies)
 - Coefficient alpha is a special case of Generalizability Theory
- Think of this as the psychometric equivalent of HLM can have "randomized" or "fixed" facets



Random vs. Fixed Facets



- Like in Hierarchical Linear Modeling (HLM), an advanced multi-level statistical technique, you can have random or fixed facets.
- A random facet is one that may change over time like you might include slightly different items on a survey, or different students might rate the teacher.
- A fixed facet is one that you expect won't change.
 - Example: You have a small set of evaluators visit classrooms to observe teachers. At the end of the year, you make decisions about teachers based on the evaluators' observations.
 - For this year, evaluators are a fixed facet.
 - For upcoming years, if evaluators might change, they are a random facet.

Methods for

This approach to reliability can be very sophisticated and informative.

Intraclass Correlation Coefficients



- Intraclass correlation coefficients (ICCs) are the proportion of variance attributable to a facet of measurement.
- Each ICC is a special case of Generalizability theory.
- Generally we use the ICC in cases where we have a lot of observations of a single target – such as students in a classroom rating a teacher: How reliable is that rating?
- You can compute the reliability for a single measurement or the classroom average (much higher).
- Generally interpret similar to alpha.

Common Problems

ICC Formulas



$$ICC1 = \frac{MS_{bg} - MS_{wg}}{MS_{bg} + (n-1) * MS_{wg}}$$

$$ICC2 = \frac{MS_{bg} - MS_{wg}}{MS_{bg}}$$

- MS_{bg} = mean square between groups (ANOVA)
- MS_{wg} = mean square within groups
- n = average group size




Questions?





If you have a question for the presenter, please type it in the Q & A Pane or email sssta@air.org.





Categorical Data



- Most commonly use cross-tabulations (cross-classification, contingency) to check for the consistency of reported codes across variables
 - Multiple measures for contingency tables: Sensitivity, specificity, hits, misses
 - Can be applied across items within a measure or across time with the same item

Applied three ways

- If the items ask for the same information, check the percentage correspondence (sex, gender).
- If the items ask for related information, check the **association** (school bullying incidents, reported police visits).

Methods for

Assessing Reliability

- Identify unlikely response combinations (Student reports high achievement levels, no academic extracurricular activities).

2 x 2 Contingency Table



Self-Reported Gender					
Sex from Database	Girl	Boy	Total		
Female	26	1	27		
Male	3	14	17		
Total	29	15	44		

Common Problems

& How to Resolve

Them

Categorical Data - Agreement



- Most common indices are percentage agreement.
 - % Exact is almost always reported.
 - % Adjacent is often included for multiple ordered levels.
- Contingency tables
- Best measure depends on how disagreement affects the decisions you want to make.
- There are more sophisticated indices, but little agreement over which is best (ironically).

Methods for

Assessing Reliability

Common Problems

& How to Resolve

Page ■ 34

Pattern Analysis



- Examine records for unlikely patterns of responses
- Can use this method for continuous/interval, categorical, or mixed data
- Methods
 - Contingency tables
 - Group means/outlier analysis
 - Unlikely strings of the same response (A, A, A, A...)
 - Inconsistent responses to reverse-coded items
 - "Honesty" scales items no one should endorse
- "Erasure analysis" used to detect cheating in Atlanta and DC, in conjunction with changes in group means

Common Problems

Tough Questions



- What do my data look like?
- Are all of your observations independent? If not, you might want to look at agreement indices and multi-level models.
- How am I going to use the data?
 - At what level? (group, individual)
 - How many observations?
 - What variables are critical to my work?
- What is the best thing to do with seemingly unreliable responses?

Methods for

Assessing Reliability

Handling Unreliable Responses



- Follow-up to clarify if possible new survey software can detect inconsistent responses and ask for a confirmation; build into interview protocols
- Recode or correct variable good if there is a lot of evidence it was a mistake (e.g., misreporting gender in a longitudinal survey)
- Delete offending variable good if the variable isn't critical and you want to retain the other variables; fill in "human" in ethnicity
- Delete offending case good if the response makes the entire case questionable; pattern analysis
- Ignore it acceptable if it is not expected to influence your results

Methods for

Assessing Reliability

Improving Reliability



- Make the questions as simple as possible.
- If you are relying on demographics, put them up front and ask questions in different ways and explain why you're asking.
- Try to build in a re-administration of some of the survey questions over a period where you would not expect things to change.
- Know when responses might change and how that will affect your results. Counterbalance conditions that have a strong impact on your measurement (e.g., time of year, rating source, item referent).

Methods for


Assessing Reliability

Questions?





If you have a question for the presenter, please type it in the Q & A Pane or email sssta@air.org.





Citations



- 1. Bliese, P. D. (2000). Within-group agreement, non-independence, and reliability: Implications for data aggregation and analysis. In K. J. Klein & S. W. Kozlowski (Eds.), Multilevel Theory, Research, and Methods in Organizations (pp. 349-381). San Francisco, CA: Jossey-Bass, Inc.
- 2. Hockenberry M.J., & Wilson D. (2009). Wong's Essentials of Pediatric Nursing (8th Ed.). St. Louis: Mosby.
- 3. Nunnally, J. C. & Bernstein, I. H. (1994). Psychometric theory (3rd ed.). New York, NY: McGraw-Hill.
- 4. Shavelson, R. J., & Webb, N. M. (1991). Generalizability Theory: A Primer. Newbury Park, CA: Sage Publications.

Suggested Readings



- 1. Abelson, R. P. (1995). *Statistics as a Principled Argument*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- 2. Allen, M. J., & Yen, W.M. (2001). Introduction to Measurement Theory Waveland Pr Inc.
- 3. Crocker, L., & Algina, A. (2006). *Introduction to Classical and Modern Test Theory*. Wadsworth Pub Co.
- 4. Hambleton, R. K., Swaminathan, H., & Rogers, H. J. (1991). *Fundamentals of Item Response Theory*. Newbury Park, CA: SAGE.
- 5. Lord, F. M., & Novick, M. R. (2008). *Statistical Theories of Mental Test Scores*. Addison-Wesley Publishing Company, Inc.
- 6. Nunnally, J., & Berstein, I. (1994). Psychometric Theory. McGraw-Hill.
- 7. Shavelson, R. J., & Webb, N M. (1991). *Generalizability Theory: A Primer*. Thousand Oaks, CA:SAGE.
- 8. Shavelson, R. J, Rowley, G.L., & Webb, N. M. (1989). Generalizability theory. *American Psychology*, 44, 922-932.
- 9. Suen, H. K. (1990). Principles of Test Theories. New York: Routledge.

